



List 5950Ni - EXOPRO[®] WHO-Ni: 3D
List 5955Ni - EXOPRO[®] WHO-Ni: 5D

General Drilling Operations

Work Material		Carbon Steels, Mild Steels 1010, 1050, 12L14		Alloy Steels 4140, 4130		Cast Iron		Ductile Cast Iron		Ni-Base Material, Inconel	
Hardness										38-43 HRC	
Drilling Speed		260-395 SFM		260-395 SFM		260-395 SFM		195-330 SFM		35-100 SFM	
Drill Dia.		Speed RPM	Feed IPR	Speed RPM	Feed IPR	Speed RPM	Feed IPR	Speed RPM	Feed IPR	Speed RPM	Feed IPR
mm	Inch										
3	-	10,600	0.002 - 0.005	10,600	0.002 - 0.005	10,600	0.002 - 0.005	8,500	0.002 - 0.005	2,150	0.001 - 0.002
-	1/8	10,000	0.002 - 0.005	10,000	0.002 - 0.005	10,000	0.002 - 0.005	8,000	0.002 - 0.005	2,050	0.001 - 0.002
4	-	7,900	0.003 - 0.006	7,900	0.003 - 0.006	7,900	0.003 - 0.006	6,350	0.003 - 0.006	1,625	0.001 - 0.003
-	3/16	6,650	0.004 - 0.008	6,650	0.004 - 0.008	6,650	0.004 - 0.008	5,300	0.004 - 0.008	1,350	0.002 - 0.004
6	-	5,300	0.005 - 0.009	5,300	0.005 - 0.009	5,300	0.005 - 0.009	4,200	0.005 - 0.009	1,100	0.002 - 0.005
-	1/4	5,000	0.005 - 0.009	5,000	0.005 - 0.009	5,000	0.005 - 0.009	4,000	0.005 - 0.009	1,025	0.002 - 0.005
8	-	4,000	0.006 - 0.011	4,000	0.006 - 0.011	4,000	0.006 - 0.011	3,200	0.006 - 0.011	800	0.003 - 0.006
-	3/8	3,350	0.007 - 0.012	3,350	0.007 - 0.012	3,350	0.007 - 0.012	2,700	0.007 - 0.012	680	0.003 - 0.007
10	-	3,200	0.008 - 0.012	3,200	0.008 - 0.012	3,200	0.008 - 0.012	2,550	0.008 - 0.012	650	0.004 - 0.008
-	7/16	2,850	0.008 - 0.012	2,850	0.008 - 0.012	2,850	0.008 - 0.012	2,300	0.008 - 0.012	585	0.004 - 0.009
12	-	2,650	0.008 - 0.012	2,650	0.008 - 0.012	2,650	0.008 - 0.012	2,100	0.008 - 0.012	550	0.005 - 0.009
-	1/2	2,500	0.008 - 0.012	2,500	0.008 - 0.012	2,500	0.008 - 0.012	2,000	0.008 - 0.012	500	0.005 - 0.010

General Drilling Operations

Work Material		Special Alloy Steels, Hardened Steels					
Hardness		35-40 HRC		40-45 HRC		45-56 HRC	
Drilling Speed		130-160 SFM		115-150 SFM		65-100 SFM	
Drill Dia.		Speed RPM	Feed IPR	Speed RPM	Feed IPR	Speed RPM	Feed IPR
mm	Inch						
3	-	4,700	0.002 - 0.003	4,250	0.001 - 0.002	2,650	0.001 - 0.002
-	1/8	4,400	0.002 - 0.003	4,025	0.001 - 0.002	2,500	0.001 - 0.002
4	-	3,500	0.003 - 0.004	3,200	0.001 - 0.003	2,000	0.001 - 0.003
-	3/16	2,950	0.004 - 0.005	2,700	0.002 - 0.004	1,650	0.002 - 0.004
6	-	2,350	0.005 - 0.006	2,100	0.002 - 0.005	1,300	0.002 - 0.005
-	1/4	2,200	0.005 - 0.006	2,000	0.002 - 0.005	1,250	0.002 - 0.005
8	-	1,750	0.006 - 0.008	1,600	0.003 - 0.006	1,000	0.003 - 0.006
-	3/8	1,475	0.007 - 0.009	1,350	0.003 - 0.007	850	0.003 - 0.007
10	-	1,400	0.008 - 0.010	1,300	0.004 - 0.008	800	0.004 - 0.008
-	7/16	1,250	0.009 - 0.011	1,150	0.004 - 0.009	715	0.004 - 0.009
12	-	1,200	0.009 - 0.012	1,050	0.005 - 0.009	660	0.005 - 0.009
-	1/2	1,100	0.010 - 0.013	1,000	0.005 - 0.010	625	0.005 - 0.010

ABOUT OSG

DRILLING

THREADING

MILLING

HOLDERS

INDEX

